

Keysight USB Modular Products Manual Update

Important Notice

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.

Table of Contents

U2300A Series	5
U2500A Series	5
U2600A Series	5
U2700A Series	6
U2802A	6
What has changed	7
System Requirements	7
Hardware Requirements	7
Software requirements:	8
Product Characteristics	8

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.

The information in this addendum is provided to improve the contents of the Keysight USB Modular Products user manuals pertaining to the product changes after the manual print date.

Please retain this update sheet. Keep it with, or insert it in your user manuals.

This addendum affects the following manuals:

U2300A Series

- 1** Keysight U2300A Series USB Multifunction Data Acquisition Devices User's Guide
- 2** Keysight U2300A Series USB Multifunction Data Acquisition Devices and Keysight Measurement Manager Quick Start Guide
- 3** Keysight U2300A Series USB Multifunction Data Acquisition Devices Service Guide

U2500A Series

- 1** Keysight U2500A Series USB Simultaneous Sampling Multifunction Data Acquisition Devices User's Guide
- 2** Keysight U2500A Series USB Simultaneous Sampling Multifunction Data Acquisition Devices Quick Start Guide
- 3** Keysight U2500A Series USB Simultaneous Sampling Multifunction Data Acquisition Devices Service Guide

U2600A Series

- 1** Keysight U2600A Series USB Isolated Digital Input/Output Modules User's Guide
- 2** Keysight U2600A Series USB Isolated Digital IO Modules Quick Start Guide

U2700A Series

- 1** Keysight USB Modular Products Quick Start Guide
- 2** Keysight U2701A/U2702A USB Modular Oscilloscopes User's Guide
- 3** Keysight U2701A/U2702A USB Modular Oscilloscope Service Guide
- 4** Keysight U2722A/U2723A USB Modular Source Measure Units User's Guide
- 5** Keysight U2722A/U2723A USB Modular Source Measure Units Service Guide
- 6** Keysight U2741A USB Modular 5.5 Digits Digital Multimeter User's Guide
- 7** Keysight U2741A USB Modular 5.5 Digits Digital Multimeter Service Guide
- 8** Keysight U2751A USB Modular Switch Matrix User's and Service Guide
- 9** Keysight U2761A USB Modular Function/Arbitrary Waveform Generator User's Guide
- 10** Keysight U2761A USB Modular Function/Arbitrary Waveform Generator Service Guide
- 11** Keysight U2781A USB Modular Instrument Chassis User's Guide
- 12** Keysight U2781A USB Modular Instrument Chassis Quick Start Guide

U2802A

- 1** Keysight U2802A 31-Channel Thermocouple Input Device User's Guide
- 2** Keysight U2802A 31-Channel Thermocouple Input Device Quick Start Guide

What has changed

System Requirements

Before installing the hardware driver and/or the Keysight Measurement Manager software, ensure that your PC meets the following minimum system requirements.

Hardware Requirements

Operating system	Windows XP Service Pack 3 (or later) ^[a]	Windows Vista (32-bit) Service Pack 1 and 2 ^[b]	Windows 7 (32-bit and 64-bit) ^{[c][d]}
Processor speed	600 MHz or higher required, 800 MHz recommended	1 GHz 32-bit (x86)	3 GHz 32-bit (x86)
Memory	256 MB minimum (1 GB or greater recommended)	1 GB minimum	2 GB minimum
Hard-disk space	1.5 GB minimum	1.5 GB minimum	1.5 GB minimum
Video	Super VGA (800 × 600) 256 colors or more	Support for Direct X 9 graphics with 128 MB graphics memory recommended ^[e]	Support for Direct X 9 graphics with 128 MB graphics memory recommended ^[e]
Browser	Microsoft Internet Explorer 5.01 or greater	Microsoft Internet Explorer 7 or greater	Microsoft Internet Explorer 7 or greater

[a] Supported Windows XP editions – Home or Professional

[b] Supported Windows Vista (32-bit) editions – Home Basic, Home Premium, Business, or Ultimate

[c] Supported Windows 7 (32-bit and 64-bit) editions – Home Basic, Home Premium, Professional, Enterprise, or Ultimate

[d] Keysight Measurement Manger for Windows 7 64-bit support is a 32-bit application running on a WOW64 (Windows-on-Windows 64-bit) emulator.

[e] Super VGA graphics is supported for Windows Vista and Windows 7

Software requirements:

- Keysight IO Libraries Suite 15.1^[1]
- Keysight T&M Toolkit Runtime version 2.1^[2]
- Keysight T&M Toolkit Redistributable Package 2.1 patch^[2]
- Microsoft.NET Framework version 2.0^[2]

[1] Available on the *Keysight Automation-Ready CD-ROM*.

[2] Bundled with the Keysight Measurement Manager software application installer.

Product Characteristics

- REMOTE INTERFACE**
- Hi-Speed USB 2.0
 - USBTMC-USB488^[1]

[1] Compatible with Microsoft Windows operating systems only.



This information is subject to change without notice. Always refer to the Keysight website for the latest revision.

© Keysight Technologies 2009, 2011, 2014, 2017
Edition 4, June 1, 2017

Printed in Malaysia



U2702-90038

www.keysight.com